



光纤 Fiber

光纤带 Fiber ribbon

芳纶 Aramid yarn

护套 Jacket



www.himakecable.com
info@himakecable.com

Product characteristics

1. Adopt optic fiber ribbon as the center, unit aramid yarn strength member around
2. Flexible, easy to peel off, small bend radius
3. 2~12 cores
4. Outer sheath material: PVC, LSZH, OFNP

Product application

Adopted to indoor distribution. Suitable for patch cords and pigtails, applying for interconnection between equipments.

Product parameter (more details please email us: info@himakecable.com)

| Cable core count | Outer Dia. (mm) | Weight (kg/km) | Min. allowable Tensile strength (N) | | Min. allowable Crush Load (N/100mm) | | Min. Bending Radius (mm) | |
|------------------|-----------------|----------------|-------------------------------------|-----------|-------------------------------------|-----------|--------------------------|-----------|
| | | | Short term | Long term | Short term | Long term | Short term | Long term |
| 02 | 3.5x2.5 | 13 | 500 | 100 | 500 | 100 | 20D | 10D |
| 04 | 3.5x2.5 | 13 | 500 | 100 | 500 | 100 | 20D | 10D |
| 06 | 4.2x2.5 | 15 | 500 | 100 | 500 | 100 | 20D | 10D |
| 08 | 4.5x2.2 | 15 | 500 | 100 | 500 | 100 | 20D | 10D |
| 12 | 4.8x2.2 | 17 | 500 | 100 | 500 | 100 | 20D | 10D |

Product Advantages

1. The conductor is made of Top quality optical fibers, it has Low dispersion and attenuation, ensuring a very good signal and data transmission ability.



Brand new material

- > Smooth
- > Anti-UV
- > Long-life

High Quality Fiber

- > Fast
- > Long and stability transmission
- > Low Attenuation.



High Quality PBT Loose Tube Material

- > Anti-aging
- > Good Protection

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.