

□□□□□ □□□:



تتمركز في أنبوب فضاضة مصنوعة من البلاستيك المعامل عالية. الأنابيب مملوءة بمجمع ملء مقاومة للماء، الـum، الألياف، 250 للكابل مع عدد الألياف عالية، يقع في وسط الأساسية كعضو في قوة معدنية. أنابيب PE أسلاك الفولاذ، مغمدة في بعض الأحيان مع حول (APL) (والحشو) تقطعت بهم السبل حول عضو القوة إلى نواة كبل المدمجة والتعميم. ويطبق الألومنيوم البولي إيثيلين صفح PE. جوهر كابل، الذي امتلأ المجمع الملء لحمايتها من دخول المياه. ثم، يتم إكمال الكبل مع غمد

□□□□□□: YD/T 901-2001 □ IEC60794-1

## خصائص المنتجات:

- 1-2 من الألياف، جيلي شغل، أنبوب الألياف الواردة فضاضة المركزية 228 ~
- 2-□□□□□□ □□□□ □□□□□□□□□□ □□□□ □□□
- 3-□□□□□□ □□□□□□ □□ □□□□ □□□□□□ □□□□□□
- 4-□□□□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□
- 5-□□□□□□ □□□□□□ □□□□ □□□□ □□□□□□ □□□□ □□□□□□ □□□□□□
- 6-□□□□□□□□ □□□□□□□□ □□□□
- 7-PE □□□□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□
- 8-□□□□ □□□□□□ □□□□ □□□□ □□□□□□ □□□□□□□□

## المنتج التطبيق:

وضع وسائط: الجوي & قناة

معلومات عامة & معلومات تقنية


معلومات عامة عن المنتج و مواصفاته و معلومات تقنية عن المنتج و مواصفاته و معلومات تقنية عن المنتج و مواصفاته

المعلمة المنتج: info@himakecable.com) (مزيد من التفاصيل يرجى مراسلتنا

الألياف العدد	الكابل ضياء (مم)	الوزن الصافي الكابل (كجم/كم)	(دقيقة منحنية نصف قطرها (ملم)		(N) التوتر المسموح بها		ماكس. سحق قوة التحميل (مم/1000 N)	
			حالة ثابتة	دولة ديناميكية	الأجل القصير	طويل الأجل	الأجل القصير	طويل الأجل
2-30	9.8	95	00%	د 20	1500	600	1000	300
32-36	10.3	115	00%	د 20	1500	600	1000	300
38-60	10.7	115	00%	د 20	1500	600	1000	300
62-72	11.3	140	00%	د 20	1500	600	1000	300
74-96	12.9	175	00%	د 20	1500	600	1000	300

معلومات عامة:

موصل مصنوع من الألياف الضوئية عالية الجودة، فقد تشتت منخفضة والتوهين، ضمان قدرة نقل الإشارات وبيانات جيدة-1 جداً.





**Brand new material**

- > Smooth
- > Anti-UV
- > Long-life

**High Quality Fiber**

- > Fast
- > Long and stability transmission
- > Low Attenuation.



**High Quality PBT Loose Tube Material**

- > Anti-aging
- > Good Protection



## Fiber Optic Cable Production Process

- Fiber Testing
- Fiber Coloring based on Fiber Color Identification
- Fiber coating
- Fiber tubes stranding with center strength member
- Fiber cable jacketing outer sheath together with armored material
- Finished fiber optic cable reeled in fumigated wooden dru



# ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.





## Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



## APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

## PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.

## كيف تتصل بنا؟

. "وضع الخاص بك تفاصيل الاستعلام في المربع أدناه، وانقر فوق "الاتصال الآن"

