



## خصائص المنتج

- 1- اثنين واحد الألياف كوحدة أساسية، وتكوين التوأمة مسطح-1
- 2- واحد كبل مع الأعضاء خيوط الكيفلار مستقلة عالية القوة، الفولاذ المقاوم للصدأ أنبوب مرنة المدرعة اختياري المدرعة نوع، زيادة مقاومة التواء الكبل، لمنع الضرر الخارجي
3. الغلاف الخارجي المواد: البلاستيكية، لسزه، أوفنب، بو

## طلب المنتج

يمكن تثبيت المعتمدة لتوزيع داخلي، مناسبة لتصحيح الحبال وأسلاك التوصيل المصنوعة، مناسبة لمعدات الاتصالات المخدمة، ومناسبة لمكان المكثف، مريح.

(مزيد من التفاصيل يرجى مراسلتنا [info@himakecable.com](mailto:info@himakecable.com): **المعلمة المنتج**)

الخارجي ضياء	الداخلية غمد ضياء	الوزن (كجم/كم)	دقيقة. مقاومة الشد (N) المسموح بها		دقيقة. تحميل سحق المسموح (ملم NV100) بها		دقيقة. نصف قطر الانحناء (مم)	
			قصيرة مصطلح	طويلة مصطلح	قصيرة مصطلح	طويلة مصطلح	قصيرة مصطلح	طويلة مصطلح
3.0x5.0	1.8	56	800	300	1000	500	د 20	د 10
3.2x5.6	2.0	68	800	300	1000	500	د 20	د 10
4.0x7.2	2.8	87	800	300	1000	500	د 20	د 10

(نوع مدرعة)

الخارجي ضياء	الداخلية غمد ضياء	الوزن (كجم/كم)	دقيقة. مقاومة الشد (N) المسموح بها		دقيقة. تحميل سحق المسموح (ملم NV100) بها		دائرة نصف قطرها (مم)	
			قصيرة مصطلح	طويلة مصطلح	قصيرة مصطلح	طويلة مصطلح	قصيرة مصطلح	طويلة مصطلح
3.0x5.0	2.0	34	1000	300	1000	500	د 20	د 10
4.0x7.0	2.8	42	1000	300	1000	500	د 20	د 10

## مزايا المنتج

1. موصل مصنوع من الألياف الضوئية عالية الجودة، فقد تشتت منخفضة والتوهين، ضمان قدرة نقل الإشارات وبيانات جيدة جداً-1



### **Brand new material**

- > **Smooth**
- > **Anti-UV**
- > **Long-life**

### **High Quality Fiber**

- > **Fast**
- > **Long and stability transmission**
- > **Low Attenuation.**



### **High Quality PBT Loose Tube Material**

- > **Anti-aging**
- > **Good Protection**

# ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



## Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



## APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

### Packaging & Shipping

## PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.