



□□□□ 250 / 250V □□□□250/440V □□□□□0.6/1KV □□□□

□□ □□□□5□□□

□□□□□□ 0.50 ~ 4.0sqmm

□□□ 2 C □ 2 C + E □ 3 C + E □ 4 C + E

□□□ V-75 PVC □ V-90 PVC

□□□□ 2 C: □ + □□□2 C + E □ □ + □□ + □/□□□3 C + E □ □ + □□ + □□ + □/□□□4 C + E □ □ + □□ + □□ + □□ + □/□□

□□□□□□□□□□□□□□□□

□□□ 4V-75 PVC □ 5V-90 PVC

□□□□□ □□□ □□□ □□□□□□□□

□□□□□□□ 75 °C □ 90 °C

100 500

AS / NZS 3191

Section 1

Rohs

Section 2

Section 3 (info@himakecable.com)

| mm ²) | | | | | (kg/km) |
|-------------------|-------|-----|-----|------|---------|
| 3 x 2.5 + E | OFC 5 | 0.9 | 1.9 | 16.8 | 410 |
| 3 x 4.0 + E | OFC 5 | 1.0 | 2.2 | 19.5 | 570 |
| 3 x 6.0 + E | OFC 5 | 1.0 | 2.4 | 22.3 | 790 |
| 3 x 10 + E | OFC 5 | 1.2 | 3.5 | 27.9 | 1250 |
| 3 x 25 + E | OFC 5 | 1.4 | 4.2 | 37.1 | 2400 |
| 3 x 35 + E | OFC 5 | 1.4 | 4.5 | 41.3 | 3050 |

Section 4

1.





□□□□□□



3. 10mm 60mm





4. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



5. 2025년 3월 14일 (토) 10:00 ~ 12:00 (1시간 30분) 3월 14일 (토) 10:00 ~ 12:00 (1시간 30분)



□□□□□□

□□ □□□□□□ □□ □□□□□□□□□□"□□□□".