

□□□□:



□□□□□□□□

□□: □□□□□□□□□□□□

□□: 5□□□□□□□□□□□□

□□□□□□□□: 10.0mm² ~ 120mm²

□□: □□□□□□, Rohs □□□□□ PVC

□□□□: □□, □□, □□, □□, □□, □□/□□□□□□□□□□

□□□□□□: 70°C, 90°C

□□: □□100□, □□ □□

□□□□□□: RV, ZR-RV, H05V-K, H07V-K, □□□

規格: IEC60277, BS6500 VDE0281, 50/T 5023, IEC60332

規格:

規格, 規格, 規格, 規格, 規格, 規格 Rohs 規格

規格:

規格/規格, 規格/規格

規格: (規格: info@himakecable.com)

規格 (mm ²)	規格	規格 (規格)	規格 (規格)	規格 (規格)	規格 (規格)
0.5	5	PVC/0.6	2.4	8.34	0.013
0.75	5	PVC/0.6	2.6	11.08	0.011
1	5	PVC/0.6	2.8	13.73	0.01
1.5	5	PVC/0.7	3.5	19.94	0.01
2.5	5	PVC/0.8	4.2	30.95	0.009
4	5	PVC/0.8	4.8	46.8	0.007
6	5	PVC/0.8	6.3	67.82	0.006

規格:

- 規格 規格, 規格



2. 0000000 0000000 00000000000000000000, 00000000000000

0000



□□□□□□



3. 10 60 international ly



5. 環境保護活動, 環境教育, 環境保護活動



