

规格	重量	数量	重量 (N)		重量 (N/100 米)		重量	
规格	重量	数量/米	重量	重量	重量	重量	重量	重量
02	7.0	45	1500	500	1000	300	10 g	10 D
04	7.0	47	1500	500	1000	300	10 g	10 D
06	8.3	64	1500	500	1000	300	10 g	10 D
08	9.5	88	1500	500	1000	300	10 g	10 D
12	11.5	105	1500	500	1000	300	10 g	10 D
24	13.5	142	1500	500	1000	300	10 g	10 D

产品特点

1. 产品特点



Brand new material

- > Smooth
- > Anti-UV
- > Long-life

High Quality Fiber

- > Fast
- > Long and stability transmission
- > Low Attenuation.



High Quality PBT Loose Tube Material

- > Anti-aging
- > Good Protection

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.