



□□□□□ **D-link LAN** □□ **Cat.6** □□□□

□□ □□ CCS + CCA / CCA / CCU / BC

□□□□ □□ 0.57mm □□23AWG

□□□□ □□ 4□25□

□□ □□ PE □□HDPE

□□□□ □□ 4□□□□/□ - □;□□/□□□□□; □/□□;□□/□□□□ color□□ □□ANSI / TIA / EIA-568-B□□□□

□□ □□□□□+□□□□□/□□□□□□

□□ □□ PVC Rohs□□□ □□□□□□

□□□□ □□□□□□□□□□ □□

□□ □□305□□□□ □□

□□□□□□ □□ FTP Cat6□□HSYVP6□□HSYYP6□□ HSYZP6

□□□□ □□ ISO / IEC11801□□IEC61156-2□□ YD / T1019-2001□□ANSI / TIA / EIA-568B□□UL444

RoHS

RoHS Compliant; NEXT/FEXT; CCS + CCA / CCA / CCU / BC HDP / PE FRPVC / LSOH PVC

Performance

250MHz; 10Base-T ISDN 4.16Mbps Ring IEEE802.5 1Gbps IEEE802.3 100Mbps TP-PMD 100BASE-T4 / TX FAST 100VG-AnyLAN 1000Base-T 1000Base-TX 155Mbps ATM 622Mbps ATM

Contact: info@himakecable.com

Description	Conductor No./mm	Insulation Thickness	Insulation Material	PROX mm/ft
FTP PVC	4x2x0.57 23AWG	1 / 0.57	1.02	7.1 / 46
FTP LSZH	4x2x0.57 23AWG	1 / 0.57	1.02	7.1 / 48




CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment