

www.himakecable.com
info@himakecable.com

产品简介:

本产品为低烟无卤阻燃型 (LSZH) 电缆，符合 UL、IEC、SAA、CCC、CB 等认证标准。LSZH 电缆具有优异的阻燃性能，符合 IEC331、BS6387、BS5839-1:2003、IEC 60332-3 CAT CWZ、BS7629-1 1997、BS EN 50267 (IEC60754)、BS EN 50268 (IEC 61034)、BS EN 50265、BS EN 50266 (IEC60332) 等标准。

产品特点:

低烟、无卤、UV、RoHS 符合

应用范围:

广泛应用于工业、商业、住宅、数据中心、船舶、轨道交通、航空航天等领域。

Quality Comparison

Purity of copper



Excellent 99.93% Oxygen Free Copper ,
Bright color with long life time .



Inferior Copper including a lot of impurity
Easy heat, short life Easily cause fire

Flame Test



Excellent No spread, and release a little
white smoke



Inferior Keep burning, and pop a lot of black
HCL toxic smoke

Resistance Test




Excellent low resistivity, high conductivity



Inferior High resistivity, High consumption .
Easy to burning .

Eccentricity Ratio



Excellent Insulation thickness uniformity



Inferior Insulation thickness nonuniform
Easy electric leakage fire disaster,

High Pressure Test



Excellent Jacket no any damage



Inferior Jacket damaged , reveal conductor

High Temperature Test



Excellent Jacket no any damage



Inferior Jacket damaged , reveal conductor

Low Temperature Test



Excellent Jacket no any damage



Inferior Jacket damaged , reveal conductor

