

□ □ □ □

□□□□ 300/500V □450/750V □□□

□□□ 1 □□2□□□□□□□ □□□□□□□□□□□□

□□□□□□□□ 0.5 ~ 400sqmm

|     |    |     |    |     |          |    |     |        |
|-----|----|-----|----|-----|----------|----|-----|--------|
| □□□ | □□ | PVC | □□ | PVC | □□□□□□□□ | PE | PVC | □□□□□□ |
|-----|----|-----|----|-----|----------|----|-----|--------|

00000000 000 000 000 000 000 000 000 000 0/000000000

[illegible]

100

□□□□□□ NH-BV, NH-BLV, H05V-U, H07V-U, H05V-R, H07V-R, BS6004 6491X, BYJ, WDZ-BYJ, H05Z-U, H07Z-U, H07Z-R, BS7211 6491B

□□□□ IEC60277□BS6004□ GB/T 5023□BS7211□ IEC60332□ IEC61034□ IEC60754□ HD22.9□  
VDE0282□VDE0281 GB/T19666

□□□□□

□□□□ □□□□□□□□□□□□□□ □□□□□□□□ Rohs □

□□□□

[illegible]

000000 (0000000000000000info@himakecable.com)

| 規格<br>(mm <sup>2</sup> ) | 材料  | 規格      | 規格  | 70℃ 電阻率<br>(MΩ・km) | 電阻<br>Ω/km |
|--------------------------|-----|---------|-----|--------------------|------------|
| 1 × 0.5                  | 1 層 | PVC/0.6 | 2.4 | 0.015              | 8.1        |
| 1 × 0.75                 | 1 層 | PVC/0.6 | 2.6 | 0.012              | 10.9       |
| 1 × 1.0                  | 1 層 | PVC/0.6 | 2.8 | 0.011              | 13.7       |
| 1 × 1.5                  | 1 層 | PVC/0.7 | 3.3 | 0.011              | 20.0       |
| 1 × 2.5                  | 1 層 | PVC/0.8 | 3.9 | 0.010              | 31.1       |
| 1 × 4.0                  | 1 層 | PVC/0.8 | 4.4 | 0.0085             | 45.7       |
| 1 × 6.0                  | 1 層 | PVC/0.8 | 4.9 | 0.0070             | 65.2       |


 Türkiye Cumhuriyeti  
 Millî Eğitim Bakanlığı

1.








□□□□□□□□



### 3. 10mm 60mm







4.





