



### 00300000BS006242Y

00000 300 / 500V 450 / 750V

000 1002000000000000000000

00000000 0.75016sqmm

000 2C03C02C + E03C + E.

000 PVC000PVC

00000 2C00000003C00000000002C + E000000000E0000000

00 PVC000PVC

00000 0000000000000000

00000000 70°C090°C

00 00100000000000

0000000 BVVB0H05VVH2-U0H07VVH2-R0BS6004 624 \* Y.

00000 IEC602770BS60040VDE02810GB / T 5023

□ □ □ □ □

[illegible]

□□□□

[illegible]

0000 000000000000info@himakecable.com

| □□□<br>□□□ <sup>2</sup><br>□□□□ | □□□□ | □□□□<br>□□□□ | □□□□<br>□□□□ | □□□□□□mm□ | □□□□<br>□KG / KM□ |
|---------------------------------|------|--------------|--------------|-----------|-------------------|
| 2×1.0                           | 1    | PVC / 0.6    | PVC / 0.9    | 4.8×7.4   | 46                |
| 2×1.5                           | 1    | PVC / 0.7    | PVC / 0.9    | 5.3×8.3   | 64                |
| 2×1.5                           | 2    | PVC / 0.7    | PVC / 0.9    | 5.4×8.4   | 71                |
| 2×2.5                           | 2    | PVC / 0.8    | PVC / 1.0    | 6.2×10.1  | 97                |
| 2×1.0 + 1.0□E□                  | 1    | PVC / 0.6    | PVC / 0.9    | 4.7×8.6   | 68                |
| 2×1.5 + 1.0□E□                  | 2    | PVC / 0.7    | PVC / 0.9    | 5.4×9.6   | 87                |
| 2×2.5 + 1.5□E□                  | 2    | PVC / 0.8    | PVC / 1.0    | 6.2×11.5  | 120               |
| 2×4.0 + 1.5□E□                  | 2    | PVC / 0.8    | PVC / 1.0    | 7.2×13.0  | 170               |
| 2×6.0 + 2.5□E□                  | 2    | PVC / 0.8    | PVC / 1.1    | 8.0×15.0  | 240               |

□ □ □ □ □

[illegible]









□□□□□□□□





[illegible]







