



□□	□5□□□□□
□□ □□	24AWG
	0.5mm/0.51mm
□□ □□	□□□□□/BC
□□□□	4Pair
□□□□□□	UTP/FTP
□□□□□	CMP CMR
□□□□	□□□□□□
□□ □□	0.91 □□
□□□□	PVC □ ROHS PVC □ □□□□
□□□□□	5.3 □□
DC Resistance(Max.)	9.5Ω / 100 m
□□□□ □□□	2.50%
□□ Capacitance(Max.)	5.4nF / 100 m
□□ □□	10000 MΩ.km

□□ □□	65%
□□□□□□	-40 ° C-+ 75 ° C
PVC □□□□□	□□ □□□□□□
□□□□	□□□□□□□□
□□□□□	✘

□□□□□

1. □□□ 5e □□□ 4Pair utp □□ 24AWG □□□□ 1000 □□□□
2. □□□□□ □□□ □□□□□□□□□□ □□□□□□□□ □□□□ □□□□□
3. □□ TIA/EIA-568B.2, ISO/IEC 11801 □ ETL □□
4. 100base-t □ TX □ 100base-t □ T2 □ 100base-t □ T4 □□
5. □□□□□□□□□□ □□□□ (ISDN)
6. □□□□□□ □ □□□□□□□□□□□□□□

□□□□□

1. 10/100/1000Mbps □□□
2. 100VG-AnyLAN
3. □□□
4. ATM155/ATM622 □

Packae □□□ (□□□□□□□□□□□□□□□□ info@himakecable.com)

□□	□□	Packing(cm)		□□	□□	Dimension(cm)			□□□	□□/□□	
□□	□□	□□□	□□	□□□	□□	L	W	H	□□□	20GP	40HQ
UTP □□ 5E □	□ □□□	19 * 35 * 35	41 * 37 * 36	305 □/□	2roll/□	41	36	37	0.055	1000	2450
FTP/SFTP 5E □	□ □□□	21 * 35 * 35	45 * 37 * 37	305 □/□	2roll/□	45	37	37	0.062 □	900	2200
5E □ □□	□□□	32 * 32 * 22.5	66 * 35 * 24	305 □/□	2reel/□	66	35	24	0.055	1000	2400



CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment



□□ □□□□□□ □ □□□□□□□□"□□□□".