



□□□□□□□□□□□□□□□□

□□□□□ 300 / 500V 450 / 750V

□□□ 1□□2□□□□□□□□ □□□□□□

□□□□□□□□ 1.0□35sqmm

□□□ 2C□7C

□□□ PVC□□□PVC

□□□□□ □□□□□□□□□□□□□□□□ □□Brey□□□□/□□□□□□□□

□□ PVC□□□PVC

□□□□□ □□□□□□□□□□□□□□

□□□□□□□□ 70°C□90°C

□□ □□100□□□□□□□□□□□□

□□□□□□□□ BVV□BVVR□H05VV-U□H07VV-U□H05VV-R□ H07VV-R

□□□□□□ IEC60277□BS6004□VDE0281□GB / T 5023

00000

000000 0000000000000000 0000000000000000000000000000Rohs0000

00000

00000000 000000000000000000000000 0000000000000000 000000000000000000

000000 00000000000000000000info@himakecable.com00

00000 2 000 <sup>2</sup>	0000	0000 0000	0000 0000	0000000 0000	000000 000/000	000000 MΩ.km
2x2.5	1	PVC / 0.8	PVC / 1.2	11.5	116.99	0.01
2x2.5	2	PVC / 0.8	PVC / 1.2	12	124.84	0.009
2x4	1	PVC / 0.8	PVC / 1.2	12.5	154.02	0.0085
2x4	2	PVC / 0.8	PVC / 1.2	13	162.49	0.0077
3x1.5	1	PVC / 0.7	PVC / 1.2	10.5	105.86	0.011
3x1.5	2	PVC / 0.7	PVC / 1.2	11	110.82	0.01
3x2.5	1	PVC / 0.8	PVC / 1.2	12	149.34	0.01
3x2.5	2	PVC / 0.8	PVC / 1.2	12.5	159.02	0.009

00000

0000000 00000000000000000000000000000000





□□□□ □□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□





□□□□□□















○○○○○○ ○○○ ○ ○○○ ○○○○○○○○○○○ ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○









□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□





