

□□□□:



□□□□: 300/500 v, 450/750 v

□□: 1□□2□□□□□□ □, □□□□□□

□□□□□□□□□: 1.0 ~ 300 sqmm

□□: PE, XLPE, LSZH

□□□□: □□, □□, □□, □□, □□□□□□□□□□□□□□/□□□□□□□□□□

□□.□□□□: 70 °C, 90 °C, 105 °C, 115 °C

□□: □□100□, □□ □□

□□□□□□: Wdz-BYJYJ,H05ZZ-U,H07ZZ-R

□□□□: IEC60277, BS6004, VDE0281, gb/t 5023, IEC60332

திருவாரூர் :

இந்த அட்டை மீட்டெடுக்கப்படக்கூடிய ஒருங்கிணைந்த ராஜ் ரிசைக்ளாபிள் ரொஹ் அட்டை

திருவாரூர் :

மீட்டெடுக்கப்பட்ட மீட்டெடுக்கப்பட்ட ஒருங்கிணைந்த ராஜ் ரிசைக்ளாபிள் ரொஹ் அட்டை.

திருவாரூர் : (மீட்டெடுக்கப்பட்ட மின்னல்: info@himatecable.com info@himatecable. com)

அட்டை அளவு (mm ²)	பொருள் (பி.வி.சி)	அட்டை அளவு (பி.வி.சி)	அ. அட்டை அளவு (பி.வி.சி)	அட்டை. அட்டை \$number °C (MΩ•km)	அ. அட்டை அளவு (பி.வி.சி/அட்டை)
1x10	pvc/06	pvc/08	43	0.011	26
1x15	pvc/07	pvc/08	48	0.011	33
1x25	pvc/08	pvc/08	54	0.01	44
1x60	pvc/08	pvc/09	66	0.007	84
1x10	pvc/10	pvc/09	82	0.007	138
1x16	pvc/10	pvc/09	90	0.0050	204
1x25	pvc/12	pvc/10	117	0.0050	315
1x35	pvc/12	pvc/11	129	0.0040	415
1x50	pvc/14	pvc/13	152	0.0045	589
1x70	pvc/14	pvc/14	169	0.0035	790

திருவாரூர் :

- 1. இந்த அட்டை, மீட்டெடுக்கப்பட்ட மீட்டெடுக்கப்பட்ட



2. 0000000 0000000 000000000000000000, 00000000000000

0000



□□□□□□



3. 10mm 60mm





4. We 提供 鋼絲繩 及 鋼索 產品, 歡迎 垂詢 洽談。



5. 00000000 00000000000000, 0000000000, 0000000000000000000000,0



