

Table 1

Table 1: Dimensions and weight of cables

Table 1: Dimensions and weight of cables (info@himakecable.com)

Cable size	Weight (kg/km)	Number of conductors	20 °C Resistance (Ω/km)	Dimensions (mm)	Dimensions (mm)	70°C Resistance (Ω/km)
2 × 0.50	44/0.12	45	0.94	2.6 × 5.4	2.8 × 5.6	0.011
2 × 0.60	53/0.12	48	1.00	2.8 × 5.6	3.0 × 6.0	0.011
2 × 0.70	62/0.12	30	1.05	3.0 × 6.0	3.2 × 6.4	0.010
2 × 0.80	70/0.12	32	1.02	3.2 × 6.4	3.3 × 6.6	0.010
2 × 0.90	80/0.12	35	1.08	3.2 × 6.4	3.4 × 6.8	0.010
2 × 1.0	88/0.12	38	1.05	3.2 × 6.4	3.4 × 6.8	0.009
2 × 1.1	97/0.12	40	1.02	3.4 × 6.8	3.4 × 6.8	0.009
2 × 1.2	106/0.12	40	1.09	3.4 × 6.8	3.6 × 7.2	0.009
2 × 1.3	115/0.12	45	1.06	3.4 × 6.8	3.6 × 7.2	0.008
2 × 1.4	124/0.12	45	1.02	3.4 × 6.8	3.6 × 7.2	0.008

Table 2

1. Table 2: Dimensions and weight of cables





□□□□□□



3. 10mm 60mm





□□□□□□□□ □□□□□□□□“□□□□”□□□