



[www.himakecable.com](http://www.himakecable.com)  
[info@himakecable.com](mailto:info@himakecable.com)

□□□□ 300/300V

□□ 5 □□□□□□□□ □□

□□□□□□□□ 0.12 ~ 2.5sqmm

□□ PVC □□ PVC □□ PVC

□□□□ □□ □□ □□ □□□□□□ □□

□□ PVC □□ PVC□□ PVC

□□□□ □□ □□ □□□□□□

□□□□□□ 70 °C □ 90 °C

100

RVVS H03VVS

IEC60277 BS6500 VDE0281 GB/T 5023 IEC60332

Rohs

info@himakecable.com

mm <sup>2</sup>	mm <sup>2</sup>		20 °C	
1 × 2 × 0.5	1.88	PVC/0.6	39	5.1
1 × 2 × 0.6	1.94	PVC/0.6	33	5.22
1 × 2 × 0.75	2.13	PVC/0.6	26	5.6
1 × 2 × 1.0	2.46	PVC/0.8	19.5	6.66
1 × 2 × 1.5	2.93	PVC/0.8	13.3	7.6
1 × 2 × 2	3.17	PVC/0.8	10.3	8.08
1 × 2 × 2.5	3.6	PVC/1.0	7.98	9.3

1.□□□□□□□□□□□□□□□□□□□□□□□□







□□□□□□□□





3. 10mm 60mm









