

海迈电缆
Himake Cable



www.himakecable.com
info@himakecable.com

□□□□□ 300 / 500V

□□□ 5□□□□□□□□□□□□ □

□□□□□□□□ 0.5□6.0sqmm

□□□ PVC□□□

□□□□□ □□□□□□□□□□□□

□□ PVC□□□

□□□□□ □□□□□□□□□□□□

□□□□□□□□ 70°C□90°C

100mm

RVVB RVV H05VV-F H05RR-F

IEC60277 BS6500 VDE0281 GB / T 5023 IEC60332

RoHS

RoHS

RoHS

RoHS

info@himakecable.com

RVV	RVVB	RVV	20°C Ω/m	70°C Ω·m	RVV RVVB RVV	RVV RVVB RVV
300 / 300V	2×0.5	3.8×6.0	39.0	0.012	10	28
300 / 300V	2×0.75	3.9×6.4	26.0	0.010	13	35
300 / 500V	2×0.75	5.0×7.6	26.0	0.010	13	44

RoHS

1. ...



□□□□□□ □□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□



□□□□□□



10 60 international ly





□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



