



光纤 Fiber

光纤带 Fiber ribbon

芳纶 Aramid yarn

护套 Jacket



[www.himakecable.com](http://www.himakecable.com)  
[info@himakecable.com](mailto:info@himakecable.com)

产品特点

1. 传输速率高
2. 体积小 重量轻
3. 芯数 2 ~ 12 芯
4. 护套材料 PVC 或 OFNP

应用范围

广泛应用于通信、网络、工业、医疗、军事等领域。

联系我们 (请发送邮件至 [info@himakecable.com](mailto:info@himakecable.com))

Model	Dimensions	Core	Nominal Diameter (N)		Nominal Diameter (N)/100		Weight	
Model	Dimensions	Core/Clad	Core	Clad	Core	Clad	Core	Clad
02	3.5x2.5	13	500	100	500	100	20 D	20 g
04	3.5x2.5	13	500	100	500	100	20 D	20 g
06	4.2x2.5	15	500	100	500	100	20 D	20 g
08	4.5x2.2	15	500	100	500	100	20 D	20 g
12	4.8x2.2	17	500	100	500	100	20 D	20 g

**Product Features**

1. High Quality Fiber



**High Quality Fiber**

- > Fast
- > Long and stability transmission
- > Low Attenuation.

**Brand new material**

- > Smooth
- > Anti-UV
- > Long-life



**High Quality PBT Loose Tube Material**

- > Anti-aging
- > Good Protection

# ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



## Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



## APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

### Packaging & Shipping

## PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.