

□□□□ : _____



□□□□□ 300/500V

□□□ □□□□□□□□5□□□ □□□

----------------------	----------------------	----------------------	----------------------

$2 C_1 \text{ 或 } 3 C_2: 1 + 1 + 1/1$
 $4 C_1 \text{ 或 } 2 C_2: 1 + 1 + 1 + 1/1$
 $5 C_1: 1 + 1 + 1 + 1 + 1/1$

HD308/UNE 21089-1

□ □ □ □ □ □

[illegible]

100

儲存溫度 60 °C

符合 IEC VDE0282BSUNE 21027 4/HD 22.4

規格:

符合歐盟指令 2002/95/ec 關於 PBBE(polybromium-biphenyls) CFC/HCFC(chlorofluoryhydrocarbons) 限制使用

符合 RoHS 2002/95/ec

規格:

H05RR-F 符合歐盟指令 2002/95/ec 關於 PBBE(polybromium-biphenyls) CFC/HCFC(chlorofluoryhydrocarbons) 限制使用

查詢: (Email: info@himakecable.com)

規格	規格	規格	規格	規格	規格	規格 20° c	規格
規格	mm2	規格	規格	規格	規格	(Ω/km)	規格 Ω/規格
2	0.75	24/0.20	0.6	0.8	6.4±0.2	26.0	26.7
2	1.0	32/0.20	0.6	0.9	7.0±0.2	19.5	20.0
2	1.5	30/0.25	0.8	1.0	8.7±0.2	13.3	13.7
2	2.5	49/0.25	0.9	1.1	10.2±0.3	7.98	8.21
3	0.75	24/0.20	0.6	0.9	7.0±0.3	26.0	26.7

規格:

1. 符合歐盟指令 2002/95/ec 關於 PBBE(polybromium-biphenyls) CFC/HCFC(chlorofluoryhydrocarbons) 限制使用





□□□□□□□□



3. 10mm 60mm









