



□□□□: CCS+CCA/CCA/CCU/BC

□□□□: 0.57□□□ 23AWG

□□□□: 4~25 □

□□□ PE □ HDPE

□□□□ 4 □□□□ □/□-□□;□/□-□□; □/□-□□;□/□-□□□□□□□□□□ ANSI/TIA/EIA-568-B □□□□□□

□□□□□□□□□□+□□□□/□□□□□□□□□□+□□□□/□□□□□□□□□□

□□□□ □□ PVC Rohs □ □□□□□□□

□□□□□□□ □□□ □□□ □□□□□□□□

□□□ 305 □□□□□□□□

□□□□□□□□ SFTP Cat7 □ HSYVP7 □ HSYYP7, HSYZP7

□□□□□□ ISO/IEC11801 □ IEC61156-2 ANSI/TIA/EIA-568B □ UL444 YD/T1019-2001

Compliant with RoHS; Compliant with REACH; Compliant with CCS + CCA/CCA/CCU/BC Compliant HDPE/PE Compliant FR-PVC/Compliant PVC Compliant Compliant; Compliant

Product Description

Supports 250MHz bandwidth; Supports 10GBase-T, 1000BASE-Tx Gigabit Ethernet, 10BASE-T, 100BASE-T fast Ethernet(IEEE 802.3), 100VG-AnyLAN (IEEE802.12), 155/622 Mbps ATM, 550 MHz Broadband Video, Voice, T1, ISDN

Contact Information (Email: info@himakecable.com)

Product Name	Conductor Size (AWG)	Conductor Diameter (mm)	Insulation Thickness (mm)	Overall Diameter (mm)	Weight (kg/100m)
7 Core SFTP PVC	4x2x0.57(23AWG)	1/0.57	1.02	7.8	68
7 Core SFTP Plenum	4x2x0.57(23AWG)	1/0.57	1.02	7.8	71




CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment



□□ □□□□□□ □□ □□□□□□□□□□□□□□□□ "□□□□□".