




□□□□ 450 / 750V□0.6 / 1KV

□□□ 1□□□□ 2□□□□□ 5□ □□□□□□□□

0.75~6.0sqmm

□□□ XLPE,PE,LSZH,LSOH

[illegible]

□□□ □□□□□, □□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□

□□□ PE,LSZH,LSOH

□□□□□□ 90°C, 110°C, 125°C, 150°C

□□ 100□□□□□□□□□□

□□□□□□ KYJYJP, KYJYJRP, WZD-KYJYJP, WZD-KYJYJRP

□□□□ IEC60277□BS6500□VDE0250□ GB / T9330□IEC60332

□□□□□

[illegible]

□ □ □ □ □

□□□□ □□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□□□□□□

450/750v

(XXXXXXXXXXXXXXXXXXXX info@himakecable.com)

□□ (mm2)	□□□□ □□□□	□□□□ □□□□	□□□□□ □□□□	□□ □□□/□□□	□□□□20 °C □□□□□□ □□□/□□□	□□□□□□ 70 °C (mΩ•km)
2x0.75	PVC/0.6	PVC/1.2	7.5	67.72	24.5	0.012
2x1.0	PVC/0.6	PVC/1.2	7.82	76.2	18.1	0.011
2x1.5	PVC/0.7	PVC/1.2	8.74	97.71	12.1	0.011
2x2.5	PVC/0.8	PVC/1.2	9.96	133.4	7.41	0.01
2 x 4	PVC/0.8	PVC/1.2	10.9	173.65	4.61	0.0085

□□□□□

1.□□□□ □□□□□□□□□□□□□□□□□□□□



2. 2019 年 1 月 1 日起施行的《中华人民共和国外商投资法》

规定



□□□□□□□□



3. 10 60 internationally







Figure 4. The process of the construction materials supply chain



5. 5월 10일 어린이날을 맞아 어린이들이 참여한 환경보호 캠페인



5월 10일

5월 10일 어린이날을 맞아 어린이들이 참여한 환경보호 캠페인.

