



□□□□ 300/500V□450/750V

□□□ 5□□□□□□□□□

□□□□□□□□□ 0.5 ~ 240sqmm

□□□ XLEP, LSZH, LSOH

□□□□□□□ □□□□□□□□□□ □□□ □□□ □□□ □/□□□□□□□□□□

□□□□□□□ 90°C, 110°C, 125°C, 150°C

□□□ 100 □□□□□□□□□□

□□□□□□□ RYJ, WDZ-RYJ, H05Z-K, H07Z-K, BS7211 2491B/6401B

□□□□□ BS7211, IEC60332, IEC61034, IEC60754, VDE0282

### 0.5-6kV

0.5-6kV PVC/0.6 PVC/0.7 PVC/0.8

### 0.5-6kV

0.5-6kV PVC/0.6 PVC/0.7 PVC/0.8

### 0.5-6kV (info@himakecable.com)

0.5-6kV 0.5-6kV 0.5-6kV <sup>2</sup> )	0.5-6kV 0.5-6kV	0.5-6kV 0.5-6kV 0.5-6kV	0.5-6kV 0.5-6kV	0.5-6kV 0.5-6kV 0.5-6kV	0.5-6kV 0.5-6kV (MΩ.km)
0.5	5	PVC/0.6	2.4	8.34	0.013
0.75	5	PVC/0.6	2.6	11.08	0.011
1	5	PVC/0.6	2.8	13.73	0.01
1.5	5	PVC/0.7	3.5	19.94	0.01
2.5	5	PVC/0.8	4.2	309.5	0.009
4	5	PVC/0.8	4.8	46.8	0.007
6	5	PVC/0.8	6.3	67.82	0.006

### 0.5-6kV

1.0.5-6kV PVC/0.6 PVC/0.7 PVC/0.8







□□□□□□□□



3. 10mm 60mm











