



www.himakecable.com  
info@himakecable.com

□□□□ 1.0 ~ 16sqmm 450/750V □25 ~ 630sqmm 0.6/1KV

□□□ 1 □□2□ □□□□□ □□□□□□

□□□□□□□ 1.0 ~ 630sqmm

□□□ V-90 PVC

□□□□□ □□□□□□□□□□□□

□□□ 3V-90 PVC

□□□□□ □□□□□□□□□□□□

□□□□□□□ 90 °C

□□□ 100 □□□ □□□□□□□□□ □□

PVC SDI

1.0 ~ 16sqmm 450/750V AS/NZS5000.2 25 ~ 630sqmm 0.6/1KV AS/NZS 5000.1

[Redacted]

Rohs

[Redacted]

PVC SDI glanding

[Redacted] (info@himakecable.com)

1 x		0.6	0.8	4.0	27
1.0		0.6	0.8	4.4	32
1.5		0.7	0.8	5.1	48
2.5		0.8	0.9	6.0	71
4.0		0.8	0.9	6.6	94
6.0		1.0	0.9	7.8	143
10		1.0	1.0	8.9	208
16		1.2	1.4	11.1	323
25					

[Redacted]

1.









□□□□□□





3. 10mm 60mm









5. □□□□□□ □□□□□□□□□□□□□□□□□□ □□□□ □□□□□□□□□□□□□□□□



□□□□□□

□□ □□□□□□ □□ □□□□□□□□□□"□□□□".