



U-1000 R2V XV RV

0.6/1kV

1 2

1.5 800

xlpe

2C + 3C + 4C + 5C + 3+1c 4+1c 3+2c

PVC PVC ROHS PVC

90°C

名称 产品名称

产品型号 YJV-ZR-YJV-U-1000 R2V-RO2V-XV-RV

执行标准 IEC60502 NF C 32-321 NF C 32-070 C2 BS7889 VDE0276 IEC60332 GB/T12076

特性

本产品符合欧盟ROHS指令要求

规格

本产品适用于U0/U 0.6/1kV及以下电压等级的固定敷设用电力电缆

联系方式 info@himakecable.com

规格	重量 (kg/km)	XLPE 重量 (kg/km)	PVC 重量 (kg/km)	护套 厚度 (mm)	重量 (kg/km)
1×1.5	1.4	0.7	1.4	5.6	52.4
1×2.5	1.8	0.7	1.4	6	65.4
1×4	2.2	0.7	1.4	6.4	83.1
1×6	2.8	0.7	1.4	7	106.7
1×10	4.1	0.7	1.4	8.3	157.7
1×16	5.1	0.7	1.4	9.3	221.6

备注

1. 本产品为阻燃型电缆



2. ښارونه ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته ښارونو ته

ښارونه




□□□□□□



3. 10 60 international





4. 〇〇〇〇〇〇 〇〇〇 〇 〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇



