



Tight Buffer Fiber

Aramid Yarn

Subunit Jacket

Jacket

FRP Strength Member



www.himakecable.com
info@himakecable.com

Caractéristiques du produit

1. conception unique câble Multi
2. câble avec les membres de la force indépendante
3. 2 ~ 24 cœurs
4. membre de la force centrale Non métalliques

Application du produit

Adopté à l'intérieure plane et verticale pose, pose de plafond, pose de surface, etc... Convient pour cordons et tresses.

Paramètre de produit (plus de détails s'il vous plaît envoient un courriel :

| Cen mesure noyau | Extérieure Dia. (mm) | Poids (kg/km) | Min. admissible à la traction (N) | | Min. Charge admissible de Crush (N V 100mm) | | Min. Rayon de cintrage (mm) | |
|------------------------|----------------------------|------------------|--------------------------------------|------------|--|------------|--------------------------------|------------|
| | | | Court terme | Long terme | Court terme | Long terme | Court terme | Long terme |
| 02 | 7.0 | 45 | 1500 | 500 | 1000 | 300 | 20D | 10D |
| 04 | 7.0 | 47 | 1500 | 500 | 1000 | 300 | 20D | 10D |
| 06 | 8.3 | 64 | 1500 | 500 | 1000 | 300 | 20D | 10D |
| 08 | 9.5 | 88 | 1500 | 500 | 1000 | 300 | 20D | 10D |
| 12 | 11.5 | 105 | 1500 | 500 | 1000 | 300 | 20D | 10D |
| 24 | 13.5 | 142 | 1500 | 500 | 1000 | 300 | 20D | 10D |

Avantages du produit

1. le chef d'orchestre est fait de fibres optiques de qualité supérieure, il a faible dispersion et atténuation, assurant une très bonne capacité de transmission des signaux et de données.



Brand new material

- > Smooth
- > Anti-UV
- > Long-life

High Quality Fiber

- > Fast
- > Long and stability transmission
- > Low Attenuation.



High Quality PBT Loose Tube Material

- > Anti-aging
- > Good Protection

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.