## Caractéristiques du produit

1. conception de câble Multi
2. Multi, chaque câble avec les membres de la force indépendante
3. 2 ~ 144 carottes
4. membre de la force centrale Non métalliques

## Application du produit

Adopté à l’intérieure plane et verticale pose, pose de plafond, pose de surface, etc... Convient pour cordons et tresses.

## Paramètre de produit (plus de détails s’il vous plaît envoient un courriel :

info@himakecable.com)

| Câble noyau | Extérieure Dia. | Poids | Min. admissible à la traction (N) | | Min. Charge admissible de Crush (N \/ 100mm) | | Min. Rayon de cintrage (mm) | |
|---|---|---|---|---|---|---|---|---|
| comte | (mm) | (kg\/km) | Court terme | Long terme | Court terme | Long terme | Court terme | Long terme |
| 12 | 15.5 | 205 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 24 | 15.5 | 205 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 36 | 17.5 | 255 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 48 | 17.5 | 255 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 60 | 19,5 | 320 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 72 | 19,5 | 320 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 96 | 22 | 395 | 1500 | 500 | 1500 | 600 | 20D | 10D |
| 144 | 28 | 597 | 1500 | 500 | 1500 | 600 | 20D | 10D |

## Avantages du produit

1. le chef d’orchestre est fait de fibres optiques de qualité supérieure, il a faible dispersion et atténuation, assurant une très bonne capacité de transmission des signaux et de données.

**Brand new material**

> Smooth

> Anti-UV

> Long-life

**High Quality Fiber**

> Fast

> Long and stability transmission

> Low Attenuation.

**High Quality PBT Loose Tube Material**

> Anti-aging

> Good Protection

info@himakecable.com

# ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.

## Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing

# APPLICATION

✔ Pipeline

✔ Overhead

✔ Direct bury

Packaging & Shipping

# PACKING AND SHIPPING

- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.

info@himakecable.com