

Générateur solaire portable A1-150W Nouvelle batterie d'énergie et centrale de stockage Chine usine


Paramètres du produit :

Article	Nom	A1
		Générateur solaire portatif
Général paramètres	Batterie intégrée	Batterie au lithium de haute qualité
	Capacité de la batterie	167 Wh / 45 000 mAh / 3,7 V
	Poids	1,6 kg
	Recharge d'entrée	DC15V/2,0A
	Temps de charge complète	CC : 15 V : 8 à 9 heures
	Sortir	USB 5V-3,1A (Max.)
	Puissance CC (max.)	9 ~ 12,6 V/10 A, 120 W (max.)
	Sortie CA	150 W, sortie d'onde modifiée. 110V (Construire selon différentes nations)
	Indicateur d'alimentation	Panneau de commande LED
	Température de fonctionnement	-10-40°C
	Cycle de vie	>500 times
	Emballage inclus	1 x générateur d'énergie portable 1 x adaptateur secteur 1 x adaptateur allume-cigare 1 x manuel d'utilisation 1 x chargeur de voiture
Remarque	Il peut y avoir quelques différences selon les pièces détachées. Veuillez plutôt vous référer au produit réel.	



150w Portable
POWER STATION

TEAVEL Youth is very long
I was in the end looking back
Meeting the best self on the road



45000mAh
High-End ThreeElement Li-Battery
Portable
POWER GENERATOR

Fashion mainstream appearance, small portable,
4500mAh super capacity 2X USB 3X DC 2X AC



...with super capacity, 40000mAh, and
multifunctional output, meet many kinds of
electrical appliance use, the display screen clear
design is more science and technology sense,
fashion fold handle, accord with human
workmanship, let you travel more easily



UAV Lover Necessary

Dual AC port, 150W 45000mAh output, can charge 5000mAh UAV 9 times,
anytime, anywhere





MULTI-function&Strong-power

AC DC USB output/45000mAh

AC output

Peak power 250W

DC output

Max power 120W

USB output

Max 5V/3.1A



Safer and more secure

Using 100% lithium core technology,
Built-in U.S.T safety technology, multiple safety, power, temperature tolerance

overcharge || overdischarge || overvoltage
overload || overtemperature || short circuit protection





Solar Charge

Recommended solar panel specification of 60W / 18V for better charging effect



Please put the solar panels in a sunny place



S.E.C SMART CONTROL

Adopt S.E.C intelligent control system, LED display screen display, make the whole product more intelligent, more scientific and technological sense, let the user know at a glance, the chapter shows the humanized design, when no output is turned on, the 15s is automatically turned off, so that the energy saving effect can be better realized.





Function declaration



Capacity	45000mAh,3.7V /167Wh
Dimensions(LWH)	196x108x126mm
Weight	1.6Kg
Built-in Battery	High quality lithium battery
Input Recharging	DC15V/2A
Fully Charged Time	DC 15V:8~9 hours
Output	USB 5V-3.1A(Max)

DC Wattage(MAX)	9~12.6V/10A, 120W(Max)
AC Output	150W, Modified Wave Output. 110V(Build According to different nations)
Power Indicator	LED Control Panel
Operation temperature range	-10 °C~40 °C
Lifecycle	>500 times
Package include	1 x Portable Power Generator 1 x Power Adapter 1 x Cigarette light adapter 1 x User manual 1x Car charger

※ There may be some differences on different spare parts. Please adhere to the actual product instead.

PERFORMANCE COMPARISON

Battery Material

3.3 times smaller

5.0 times Lighter





	Lithium	Lead Acid Batteries
Voltage	3.7V	2.0V
Lifecycles	500~1000	200
Energy Density	150WH/KG	30WH/KG
Volumetric Energy(Wh/L)	> 320	60-80
Charging/Discharging Efficiency	>97%	<80%
Stand-by Time	> 3months	> 1 month
Working Temperature	-20 °C~60 °C	0 °C~40 °C
Weight	Light 2.5~3kg	Heavy 16~30kg

Comment nous contacter?

Mettez les détails de votre demande dans la case ci-dessous et cliquez sur « Contacter maintenant ».