

Φορητή γεννήτρια ηλεκτρικής ενέργειας A1-150W ηλιακή φορτιζόμενη μπαταρία και αποθήκευση Ηλεκτρικός σταθμός εργοστάσιο της Κίνας

Παράμετροι προϊόντος:

| Στοιχείο              | Όνομα                                                                                                          | A1                                                                                                                                                   |
|-----------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       |                                                                                                                | Φορητή ηλιακή γεννήτρια                                                                                                                              |
| Στρατηγός παραμέτρους | Ενσωματωμένη μπαταρία                                                                                          | Υψηλής ποιότητας μπαταρία λιθίου                                                                                                                     |
|                       | Χωρητικότητα μπαταρίας                                                                                         | 167Wh / 45000mAh / 3,7V                                                                                                                              |
|                       | Βάρος                                                                                                          | 1,6 κιλά                                                                                                                                             |
|                       | Επαναφόρτιση εισόδου                                                                                           | DC15V/2,0A                                                                                                                                           |
|                       | Πλήρως φορτισμένος χρόνος                                                                                      | DC: 15V: 8~9 ώρες                                                                                                                                    |
|                       | Έξοδος                                                                                                         | USB 5V-3.1A (Μέγ.)                                                                                                                                   |
|                       | DC Wattage (Μέγ.)                                                                                              | 9~12,6V/10A, 120W (Μέγ.)                                                                                                                             |
|                       | Έξοδος AC                                                                                                      | 150W, Τροποποιημένη Έξοδος Κυμάτων.<br>110V (Κατασκευή ανάλογα με τα διαφορετικά έθνη)                                                               |
|                       | Ένδειξη ισχύος                                                                                                 | Πίνακας ελέγχου LED                                                                                                                                  |
|                       | Θερμοκρασία λειτουργίας                                                                                        | -10-40°C                                                                                                                                             |
|                       | Κύκλος ζωής                                                                                                    | >500 times                                                                                                                                           |
|                       | Το πακέτο περιλαμβάνεται                                                                                       | 1 x φορητή γεννήτρια ρεύματος<br>1 x Μετασχηματιστής ρεύματος<br>1 x Αντάπτορας φώτων τσιγάρου<br>1 x Εγχειρίδιο χρήσης<br>1 x Φορτιστής αυτοκινήτου |
| Παρατήρηση            | Μπορεί να υπάρχουν κάποιες διαφορές σε διαφορετικά ανταλλακτικά. Παρακαλούμε ακολουθήστε το πραγματικό προϊόν. |                                                                                                                                                      |





150W Portable  
POWER STATION

TEAVEL Youth is very long  
I was in the end looking back  
Meeting the best self on the road



45000mAh

High-End ThreeElement Li-Battery

Portable  
POWER GENERATOR

Fashion mainstream appearance, small portable,  
4500mAh super capacity 2XUSB 1XDC 2XAC



room in super capacity, 40000mAh, with multifunctional output, meet many kinds of electrical appliance use, the display screen clear design is more science and technology sense, fashion fold handle, accord with human workmanship, let you travel more easily



## UAV Lover Necessary

Dual AC port, 150W 45000mAh output, can charge 5000mAh UAV 9 times, anytime, anywhere





## MULTI-FUNCTION & STRONG-POWER

AC DC USB output/45000mAh

AC output

Peak power 250W

DC output

Max power 120W

USB output

Max 5V/3.1A



## SAFER AND MORE SECURE

Using 100% lithium core technology,  
Built-in U.S.T safety technology, multiple safety, power, temperature tolerance

overcharge || overdischarge || overvoltage  
overload || overtemperature || short circuit protection





## Solar Charge

Recommended solar panel specification of 60W / 18V for better charging effect



Please put the solar panels in a sunny place



S.E.C SMART CONTROL

Adopt S.E.C intelligent control system, LED display screen display, make the whole product more intelligent, more scientific and technological sense, let the user know at a glance, the chapter shows the humanized design, when no output is turned on, the 15s is automatically turned off, so that the energy saving effect can be better realized.





## Function declaration



|                    |                              |
|--------------------|------------------------------|
| Capacity           | 45000mAh,3.7V /167Wh         |
| Dimensions(LWH)    | 196x108x126mm                |
| Weight             | 1.6Kg                        |
| Built-in Battery   | High quality lithium battery |
| Input Recharging   | DC15V/2A                     |
| Fully Charged Time | DC 15V:8~9 hours             |
| Output             | USB 5V-3.1A(Max)             |


|                             |                                                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------|
| DC Wattage(MAX)             | 9~12.6V/10A, 120W(Max)                                                                                                    |
| AC Output                   | 150W, Modified Wave Output.<br>110V(Build According to different nations)                                                 |
| Power Indicator             | LED Control Panel                                                                                                         |
| Operation temperature range | -10℃~40℃                                                                                                                  |
| Lifecycle                   | >500 times                                                                                                                |
| Package include             | 1 x Portable Power Generator      1 x Power Adapter<br>1 x Cigarette light adapter      1 x User manual<br>1x Car charger |

※ There may be some differences on different spare parts. Please adhere to the actual product instead.

## PERFORMANCE COMPARISON

### Battery Material

3.3 times smaller  
5.0 times Lighter



|                                 | Lithium       | Lead Acid Batteries |
|---------------------------------|---------------|---------------------|
| Voltage                         | 3.7V          | 2.0V                |
| Lifecycles                      | 500~1000      | 200                 |
| Energy Density                  | 150WH/KG      | 30WH/KG             |
| Volumetric Energy(Wh/L)         | > 320         | 60-80               |
| Charging/Discharging Efficiency | > 97%         | < 80%               |
| Stand-by Time                   | > 3 months    | > 1 month           |
| Working Temperature             | -20℃~60℃      | 0℃~40℃              |
| Weight                          | Light 2.5~3kg | Heavy 16~30kg       |

## Πώς να επικοινωνήσετε μαζί μας;

Τοποθετήστε τα στοιχεία του ερωτήματός σας στο παρακάτω πλαίσιο και κάντε κλικ στην επιλογή "Επικοινωνήστε τώρα".