□□□□□

海迈电缆
Himake Cable
Rip Cord
Optical fiber
Loose tube
FRP
Water blocking tape
Inner PE sheath
Aramid yarns
Outer HDPE sheath
Filler
www.himakecable.com
info@himakecable.com

ADSS □□□□□□□□□□□□□□□250um □□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□ □□□: □□□□
□□□□□□LAN□□□□□□□□□□

Brand new material

> Smooth

> Anti-UV

> Long-life

High Quality Fiber

> Fast

> Long and stability transmission

> Low Attenuation.

High Quality PBT Loose Tube Material

> Anti-aging

> Good Protection

info@himakecable.com

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.

Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing

APPLICATION

✔ Pipeline

✔ Overhead

✔ Direct bury

Packaging & Shipping

PACKING AND SHIPPING

- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.

info@himakecable.com