



## 規格表

規格表 単位: 公称径 φ 単位:mm  
単位:mm  
規格表 単位:mm 単位:mm

お問い合わせ (お問い合わせ先: [info@himakecable.com](mailto:info@himakecable.com))

規格	規格	規格	規格 (mm)		規格 (N)		Max規格 (N/1000 mm)	
			規格	規格	Max	規格	規格	規格
2-24	7/3.0	190	10 D	30%	4950	2500	2000	1000
26-36	7/3.0	200	10 D	30%	4950	2500	2000	1000
38-60	7/3.0	235	10 D	30%	4950	2500	2000	1000
2-24	7/3.6	200	10 D	30%	7100	3500	2000	1000

## 規格表

1. 規格表 単位:mm 単位:mm



### **Brand new material**

- > **Smooth**
- > **Anti-UV**
- > **Long-life**

### **High Quality Fiber**

- > **Fast**
- > **Long and stability transmission**
- > **Low Attenuation.**



### **High Quality PBT Loose Tube Material**

- > **Anti-aging**
- > **Good Protection**

# ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.





## Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



## APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

### Packaging & Shipping

## PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.