□□□□□

海迈电缆
Himake Cable
光纤 Fiber
套管填充物 Tube filling compound
松套管 Loose tube
缆芯填充物 Cable filling compound
聚乙烯内护套 PE inner sheath
阻水材料 Water-blocking material
涂塑钢带 PSP
聚乙烯外护套 PE outer sheath
中心加强芯 Central strength member
www.himakecable.com
info@himakecable.com

□□□250um □□□□□□□□□□□□□□□□□□□□ □□□ □□□□□□□□□□□□ PE □□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□ □□□□: □□□□□
□□□□□□□LAN□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ (□□□□□□□□□□□□□□□□□□□□□□□□□□□□□: info@himakecable.com)

| □□□□□□□□□□□□□□□□□□□□

Brand new material

> Smooth

> Anti-UV

> Long-life

High Quality Fiber

> Fast

> Long and stability transmission

> Low Attenuation.

High Quality PBT Loose Tube Material

> Anti-aging

> Good Protection

info@himakecable.com

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.

Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing

APPLICATION

✔ Pipeline

✔ Overhead

✔ Direct bury

Packaging & Shipping

PACKING AND SHIPPING

- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.

info@himakecable.com