

□□□□:

海迈电缆
Himake Cable

铝线
Aluminium wire

镀锌钢线
Galvanized steel wire

www.himakecable.com
info@himakecable.com

□□□□: □ □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□ □□ □□□□□□□□□□□□□□ □□□□□□ Z. □□□□□□□□□□□□ □□□□□□□ ACSR□

□□□□: □□□□□□□□□□□□ □□

□□□□: □□□□□□□ □□□□□□□□□□□□□□□□□□□

□□: ASTM B238□BS215 □□□ 2□DIN 48204□IEC 61089□CSA C49

□□□□□□□□□□□□:

- (1) □□ □□□□□□□□□□ □□ 70 C □□□
- (2) □□ □□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□ □□□□□□ 60% □□□□□□

(3) နည်းပြ အကူအညီ အဖွဲ့ဝင်များသည် နည်းပြအဖွဲ့၏ လုပ်ငန်းများကို အကူအညီ ပေးဆောင်ရမည်။

(4) [အခြားအချက်] အကျိုးရှိစေရန်အတွက် နည်းပြအဖွဲ့၏ အကူအညီ ပေးဆောင်ရမည်။ 10-15% ဝင်ငွေပေးရမည်။

အချက်အလက်များ:

ACSR နည်းပြအဖွဲ့အား အကူအညီပေးရမည်။

အချက်အလက်များ: (အကူအညီပေးဆောင်ရန်အတွက်: info@himakecable.com)

အမျိုးအစား	ဧရိယာ (mm ²)			ပုံစံ (mm)		အချင်း (mm)	အပူချိန်/အပူချိန်	အား (KN)
	တစ်ခုစီ	St	စုစုပေါင်း	ပုံစံ	အချင်း			
ပုံစံ	10.62	1.77	12.39	6/1.50	1/1.50	4.50	42.8	4.14
ပုံစံ	20.94	3.49	24.43	6/2.11	1/2.11	6.33	84.7	7.87
Gophel	26.24	4.37	30.62	6/2.36	1/2.36	7.08	106.0	9.58
ပုံစံ	31.61	5.27	36.88	6/2.59	1/2.59	7.77	127.6	11.38
ပုံစံ	36.66	6.11	42.77	6/2.79	1/2.79	8.37	148.1	13.21
ပုံစံ	42.41	7.07	49.48	6/3.00	1/3.00	9.00	ပုံစံ 171.2	15.27

အချက်အလက်များ:

1. အကူအညီပေးဆောင်ရန် အဖွဲ့ဝင်များသည် အကူအညီပေးဆောင်ရမည်။



□□□□□□



3. 10 60 internationally





4. 〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇 〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇



