



rohs

**Installation:**

installation.

**Contact:** (Email: info@himakecable.com)

| Area (mm <sup>2</sup> ) | Material | Thickness (mm) | Width (mm) | Resistance at 70°C (m Ω • km) | Weight (kg/100m) |
|-------------------------|----------|----------------|------------|-------------------------------|------------------|
| 1×0.5                   | 1        | pvc/0.6        | 2.4        | 0.015                         | 8.1              |
| 1×0.75                  | 1        | pvc/0.6        | 2.6        | 0.012                         | 10.9             |
| 1×1.0                   | 1        | pvc/0.6        | 2.8        | 0.011                         | 13.7             |
| 1×1.5                   | 1        | pvc/0.7        | 3.3        | 0.011                         | 20.0             |
| 1×2.5                   | 1        | pvc/0.8        | 3.9        | 0.010                         | 31.1             |
| 1×4.0                   | 1        | pvc/0.8        | 4.4        | 0.0085                        | 45.7             |
| 1×6.0                   | 1        | pvc/0.8        | 4.9        | 0.0070                        | 65.2             |
| 1×10                    | 1        | pvc/1.0        | 6.4        | 0.0070                        | 112              |

**Notes:**

1. Notes















3. 10mm 60mm







4. 圖 4-1 展示了 電 纜 的 生 產 過 程 中 的 各 個 環 節 。









5. 責任の範囲を **responsibility** の範囲に限定し、責任の範囲を明確に定義する。





