

UV Cable

UV Cable is made of high quality PVC jacket and UV resistant conductors. It is suitable for use in outdoor applications where UV radiation is a concern. It is also RoHS compliant.

Technical Specifications

UV Cable is available in various sizes and configurations. The table below provides the technical specifications for the different sizes and configurations.

For more information, please contact us at info@himakecable.com

Size (mm ²)	Conductor	Outer Diameter (mm)	Inner Diameter (mm)	Min. Insulation Thickness (mm)	Weight (kg / km)
1x0.5	Cu	0.8	2.4	0.015	91
1x0.75	Cu	0.8	2.8	0.012	11
1x1.0	Cu	0.8	2.8	0.011	14
1x1.0	4x0.25 Cu	0.8	2.8	0.013	15
1x1.5	4x0.25 Cu	0.8	3.1	0.0123	20.0
1x2.5	4x0.25 Cu	0.8	3.7	0.0103	32
1x4.0	4x0.25 Cu	1.0	4.5	0.0102	47
1x6.0	4x0.25 Cu	1.0	5.1	0.0088	68
1x10	4x0.25 Cu	1.0	6.0	0.0072	110
1x16	4x0.25 Cu	1.0	6.9	0.0059	170

Applications

UV Cable is used in various applications, including outdoor lighting, power distribution, and data transmission. It is also used in industrial and marine environments.





□□□□□□



3. 10 60 international ly







5. 5.12 汶川大地震 10 周年紀念活動 暨 2011 年 5 月 12 日 全國青少年兒童 捐資助學活動



