

□□□□:



□□□□: 0.6/1KV

□□: □□1□□□□□□□□2□□□□□□□□□□□□□□□□□

□□□□□□□□: 1.5 ~ 800sqmm

```
xx: x|pe
```

$$2c_1 + 3c_2 + 4c_3 + 5c_4 + 3 + 1c_4 + 1c_3 + 2c_1$$

000: pvc0000 pvc0Rohs 00 PVC

						:								
--	--	--	--	--	--	---	--	--	--	--	--	--	--	--

□□.□□□□: 90°C

□ □ □ □ □ :	□ □ □ □ □ □ □ □ □ □ □ □ □ □
-------------	-----------------------------

型号: YJV-ZR-YJV-U-1000 R2V-RO2V
 标准: IEC60502-BS7889-VDE0276-IEC60332-GB/T12076

品牌:

符合 环保标准 符合 rohs 环保标准

规格:

额定电压 AC 电压 UO/U 额定电压 0.6/1KV 额定电压 0.6/1KV (额定电压 0.6/1KV 额定电压 0.6/1KV)

联系方式:(联系电话: info@himakecable.com)

规格 (mm ²)	导体 mm)	绝缘 mm)	PVC 护套 mm)	总 mm)	重量 (kg/m)
1×1.5	1.4	0.7	1.4	5.6	52.4
1×2.5	1.8	0.7	1.4	6	65.4
1×4	2.2	0.7	1.4	6.4	83.1
1×6	2.8	0.7	1.4	7	106.7
1×10	4.1	0.7	1.4	8.3	157.7
1×16	5.1	0.7	1.4	9.3	221.6

品牌:

1. 符合 环保标准 符合 rohs 环保标准



2. 在下列各题中，选择正确的答案，并将答案填入括号内。

（ ）




□□□□□□□□



3. **10** **60** international





4. 本公司 代理 各種 規格 之 電纜 產品 均 符合 國際 標準 且 價格 低廉 歡迎 各界 人士 垂詢 洽購



5. **responsibility**

