

規格	φ	重量	重量 (N)		重量 (NV100 mm)		重量 (mm)	
規格	(mm)	(kg/km)	重量	重量	重量	重量	重量	重量
02	6.0	45	600	200	1000	200	20 D	10 D
04	6.0	45	600	200	1000	200	20 D	10 D
06	6.0	45	600	200	1000	200	20 D	10 D
08	6.0	45	600	200	1000	200	20 D	10 D
12	6.0	45	600	200	1000	200	20 D	10 D

品質保証

1. 品質保証



Brand new material

- > Smooth
- > Anti-UV
- > Long-life

High Quality Fiber

- > Fast
- > Long and stability transmission
- > Low Attenuation.



High Quality PBT Loose Tube Material

- > Anti-aging
- > Good Protection

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.