


□□□□:



□□: CCS + CCA□CCA□CCU□BC

□□□□ 24AWG 0.51 mm

□□□□ □□: 4 □ 25 □□

□□□: HDPE PE

□□□□: 4 □□ □□□: □□□/□□□□ □ □□□□□□□/□□□□ □ □□□□□ □□□□/□□□□ □ □□□□;□□□□/□□□□-□□□□ c□□□□□□□□ ANSI/□□ □/EIA-568-B □□□□□□□□

□□□□: □□□□□□□□□□

□□: □□ PVC rohs □□□□□□ LSZH □□□□

□□□□□□: □□□□□□□□□□□□□□ □□

□□□□□□: 305 □□□□ □□□□□□□□□□□□□□ □□

□□□□□□□□: FTP Cat5e□HSYVP5e□HSYYP5e□ HSYZP5e

□□□□□□: ISO/IEC11801□IEC61156-2 ANSI//EIA TIA-568B□UL444 □□□□/T1019-2001

□□□□:

100% RoHS Compliant; Halogen-free; FEXT; CCS + CCA/CCA/CCU/BC; HDP/PE; LSOH/FRPVC PVC;

Specifications:

100 MHz; 10 BASE-T; ISDN; (IEEE 802.5) T4/100 BASE-TX; 100 vg-AnyLAN 1000 BASE-T; 1000; ATM 52/155 mbps; 622 mbps

Packae Info: (Email: info@himakecable.com)


Description	Wire Size (mm)	Stranding (Ø/mm)	Insulation (mm)	Overall (mm)	Weight (Kg/km)
Cat.5e FTP PVC	4x2x0.5(24AWG)	1/0.51	1.01	5.5	40
Cat.5e FTP LSZH	4x2x0.5(24AWG)	1/0.51	1.01	5.5	43




CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment



0000 0000000 0 00000000000000000000000000000000".