

□□□□:



□□ □□: 64/110KV□127/□□ 220 KV□290/550KV

□□:□□□□□□ □□□□ for $\leq 800\text{mm}^2$ □□ milkier □□□□□□□□□□□□□ □□□□□□□□ $> 800 \text{ mm}^2$

□□□□□: □□□□□□□□ □□□□ tape $\geq 500\text{mm}^2$ □□□□□□□□□□□□□□□

□□□: □□□□□□□□□□□□□□□□

□□□□□□□: □□□□□□□□□□□ □□□ □□□□□□

□□□□ □□□□□□□□□: □□□□□□□□□□□

□□ □: □□□□□□□□□□□□□□□□ □□□□□;□□□ □□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□: □□□□□□□□□□□

□□□□□□□□□□□□□: □□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□: 240 ~ 300sqmm

Max□□□□□□□ 90 105

□□□□□□□: □□□□□□□□□□□□□

□□□□□□□: YJLW02□YJLW03□YJLLW02□YJLLW03

□□□□□: IEC 60840:1999

□□□□:

□□□□□□□□□□ □□□□□□□ 90 □□□□□□□□□□□□□□□ 105 □□□

5 250

25 D

5 250

66 kv 500 kv

info@himakecable.com

(mm ²) 250	(mm)	(mm)	(mm)	(mm)	(mm)	(kg/km)
400	23.8	27	2.4	5	116	14342
500	26.6	27	2.4	5	119	15629
630	30	26	2.4	5	121	16946
800	33.8	25	2.4	5	123	19069
1000	38.7	24	2.6	5	126	20970
1200	42.4	24	2.6	5	129	23270
1400	45.8	24	2.6	5	133	25525
1600	49	24	2.6	5	136	27774
1800	51.9	24	2.6	5	139	30112
2000	54.7	24	2.8	5	142	32383
2500	61.2	24	2.8	5	149	37780

1.

1.





□□□□□□



3. 10 60 internationally





