

Table 1: Cable Specifications

Table 1: Cable Specifications. This table provides detailed information on cable types, including conductor counts, insulation thickness, and mechanical properties.

Contact Information: (Email: info@himakecable.com)

Cable Type	Conductor Count	Max. Insulation Thickness	Conductor Resistance @ -20°C	Max. AV	Max. AV @ 70°C	
2 x 0.50	44/0.12	45	0.94	2.6 x 5.4	2.8 x 5.6	0.011
2 x 0.60	53/0.12	48	1.00	2.8 x 5.6	3.0 x 6.0	0.011
2 x 0.70	62/0.12	30	1.05	3.0 x 6.0	3.2 x 6.4	0.010
2 x 0.80	70/0.12	32	1.02	3.2 x 6.4	3.3 x 6.6	0.010
2 x 0.90	80/0.12	35	1.08	3.2 x 6.4	3.4 x 6.8	0.010
2 x 1.0	88/0.12	38	1.05	3.2 x 6.4	3.4 x 6.8	0.009
2 x 1.1	97/0.12	40	1.02	3.4 x 6.8	3.4 x 6.8	0.009
2 x 1.2	106/0.12	40	1.09	3.4 x 6.8	3.6 x 7.2	0.009
2 x 1.3	115/0.12	45	1.06	3.4 x 6.8	3.6 x 7.2	0.008
2 x 1.4	124/0.12	45	1.02	3.4 x 6.8	3.6 x 7.2	0.008

Table 2: Additional Specifications

1. Additional specifications and notes regarding cable performance and usage.





□□□□□□



3. 10 60 internationally







