

□□□□:

海迈电缆
Himake Cable

www.himakecable.com
info@himakecable.com

CCC CE SAA UL CB RoHS

□□□□: 0.6/1 KV

□□: □□□□ 2 □□□□□□□□

□□□□□□□□: 0.5 □ 1.0sqmm

□□□□: □□□□□□□□ PVC Rohs □□ PVC

□□□□□□: □ + □□□□□□□□□□□□□□ □□□□ □□□□□□□□□□□□□□□□

Max□□□□□□□□ 70□90

□□□□□□: 100 □□□□□□□□□□□□□□□□

□□□□□□□□: □□□□ 8 □□□□□, PVC □□□□□□□□

標準: AS/NZS 5000.1

品名:

本製品は環境に優しい材料を使用し、rohs 規格に準拠しています。

お問い合わせ先:

お問い合わせ先: (Eメール: info@himakecable.com)

お問い合わせ先: (Eメール: info@himakecable.com)

断面積 (mm ²)	外径 (mm)	重量 (kg/km)	外径 (mm)
2 × 6.0 mm ²	11.2 × 5.2	150	20
2 × 10 mm ²	13.2 × 6.2	240	25
2 × 16 mm ²	15.3 × 7.2	370	30

お問い合わせ先:

- お問い合わせ先: (Eメール: info@himakecable.com)





□□□□□□



3. 10 60 internationally





