



光纤 Fiber

光纤带 Fiber ribbon

芳纶 Aramid yarn

护套 Jacket



www.himakecable.com
info@himakecable.com

产品特点

1. 重量轻、体积小、柔软性好
2. 传输速率高、带宽大
3. 2 芯 12 芯
4. 护套材料: PVC、LSZH、OFNP

应用领域

广泛应用于通信、工业、医疗、军事等领域。

联系我们 (电子邮箱: info@himakecable.com)

Model	Core Diameter (mm)	Weight (kg/km)	Tensile Strength (N)		Bend Radius (NV100 mm)		Attenuation (mm)	
Model	(mm)	(kg/km)	500	100	500	100	30%	10 D
02	3.5x2.5	13	500	100	500	100	30%	10 D
04	3.5x2.5	13	500	100	500	100	30%	10 D
06	4.2x2.5	15	500	100	500	100	30%	10 D
08	4.5x2.2	15	500	100	500	100	30%	10 D
12	4.8x2.2	17	500	100	500	100	30%	10 D

Product Features

1. High Quality Fiber



Brand new material

- > Smooth
- > Anti-UV
- > Long-life

High Quality Fiber

- > Fast
- > Long and stability transmission
- > Low Attenuation.



High Quality PBT Loose Tube Material

- > Anti-aging
- > Good Protection

ADVANCED PRODUCTION EQUIPMENT

Advanced Production Equipments can guarantee qualified product.



Optic Fiber Cable Testing

- Fiber Testing
- Testing after fiber coloring
- Testing after fiber stranding
- Testing after fiber optic cable jacketing



APPLICATION



✓ Pipeline



✓ Overhead



✓ Direct bury

Packaging & Shipping

PACKING AND SHIPPING



- Each single length of cable shall be reeled on wooden Drum suitable for long-distance shipment.