

00000:



00: CCS + CCA0CCA0CCU0BC

00000 0.57 mm023AWG

0000 00: 4 0 25 00

000: HDPE PE

00000: 4 00 000: 000/0000 0 00000000/0000 0 00000 0000/0000 0 0000;0000/0000-0000 c00000000 ANSI/00  
0/EIA-568-B 000000000

0000: 00000000 000 + 000000 + 00/000000000000 000000000000

0: 00 PVC rohs 000000 LSZH 0000

00000: 0000000000000000 00

00000: 305 0000 00000000000000 00

0000000: SFTP Cat7 000000HSYVP70HSYYP70 HSYZP7

0000: ISO/IEC118010IEC61156-2 ANSI//EIA TIA-568B0UL444 000/T1019-2001

0000:

Compliant with RoHS; Halogen-free; FEXT; CCS + CCA/CCA/CCU/BC; HDP/PE; LSOH/FRPVC PVC; Halogen-free

**Product Name:**

600 MHz; 10GBase-T; 1000 Tx; 10 Base-t; 100 BASE-T; (IEEE 802.3); 100 vg-AnyLAN (IEEE802.12); 155/622 Mbps ATM; 550 MHz; T1/ISDN

**Contact:** (Email: [info@himakecable.com](mailto:info@himakecable.com))

Description	Outer Diameter (mm)	Stranding (mm)	Inner Diameter (mm)	Outer Diameter (mm)	Weight (Kg/km)
Cat.7 SFTP PVC	4x2x0.57(23AWG)	1/0.57	1.02	7.8	68
Cat.7 SFTP LSZH	4x2x0.57(23AWG)	1/0.57	1.02	7.8	71



CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment



www.himatacable.com | Info@himatacable.com | 011-26181111 | 099-20909090