



UL3071 UL3074 電線電纜規格 600V 電線

電線 600V

電線 18AWG から 14AWG 電線電纜規格

電線 電線電纜規格

電線: 電線電纜規格

電線電纜規格: 電線電纜規格電線電纜規格電線電纜規格/電線

電線電纜規格 $\pm 0.10\text{mm}$

電線電纜規格 電線電纜規格 305 電線電纜規格 200 電線電纜規格電線電纜規格

温度范围 -60℃~200℃

符合 UL3071 / UL3074

产品特点:

符合 UL758 & UL 1581 RoHs 标准

技术参数:

详细规格请参考产品手册

联系我们: (Email: fo@himake.com)

规格	AWG	导体直径(mm)	绝缘厚度(mm)	总厚度(mm)	电阻率 20°C(Ω/km)	热阻 20°C-AMR
UL3071	18	7×0.39	0.96	3.11	22.2	11.01
UL3071	16	7×0.50	0.96	3.45	14.0	17.52
UL3071	14	41×0.26	0.96	3.75	8.78	27.84
UL3074	12	45×0.32	0.96	4.40	5.31	88.40

备注:

ADVANTAGE

WHY US?

Source manufacturers direct, non - agent, no price difference



Professional instrument detection,
strict control, adhere to the quality .



Swing test



Tensile strength test



Print friction test



Temperature test



Insulation resistance test



UV test

PACKAGING LOGISTICS



in

