

Material: Polyethylene PE

Length: 305 meters Polyethylene PE

Category: Cat5 UTP HSYV5 HSY5 HSYZ5

Standard: ISO/IEC11801 IEC61156-2 ANSI/EIA TIA-568B UL444 T/T1019-2001

Material:

Material: RoHS; Polyethylene PE - FEXT; CCS + CCA/CCA/CCU/BC HDP/PE LSOH/FRPVC PVC

Performance:

Frequency: 100 MHz; 100 base-T4/TX (FAST Ethernet); 1000 BASE-T; 155 mbps; 622 mbps

Packae Size: (Contact: info@himakecable.com)

| Description | Outer Diameter (mm) | Conductor Diameter (mm) | Wire Diameter (mm) | Strand Diameter (mm) | Weight (Kg/km) |
|----------------|---------------------|-------------------------|--------------------|----------------------|----------------|
| Cat.5 UTP PVC | 4x2x0.5(24AWG) | 1/0.51 | 0.91 | 5.1 | 28 |
| Cat.5 UTP PVC | 25x2x0.5(24AWG) | 1/0.51 | 0.91 | 11.5 | 170 |
| Cat.5 UTP LSZH | 4x2x0.5(24AWG) | 1/0.51 | 0.91 | 5.1 | 30 |
| Cat.5 UTP LSZH | 25x2x0.5(24AWG) | 1/0.51 | 0.91 | 11.5 | 174 |




CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping

