

Product Description:



We are one of the largest manufacturer and supplier of FTP Cat6 LAN cable in China with best price!

Conductor: CCS+CCA/CCA/CCU/BC

Conductor size: 0.57mm, 23AWG

Twistpairs: 4~25 pairs

Insulation: PE, HDPE

Insulation color: 4 pairs color: Blue/white-blue; Green/white-green; Orange/white-orange; Brown/white-brown, color coded according to ANSI/TIA/EIA-568-B color code

Shield: Aluminum foil, or Aluminum foil + copper drain wire/tinned drain wire

Sheath: flame retardant PVC Rohs compliant, LSZH compound

Sheath color: white, grey, blue or as per request

Package: 1000 feet or 305 meters per box or as per requirement

Main product model: FTP Cat6, HSYVP6, HSYYP6, HSYZP6

Product standard: ISO/IEC11801, IEC61156-2, YD/T1019-2001, ANSI/TIA/EIA-568B, UL444

Product characteristics:

UV resistance and Rohscompliant; Feature different strand lay-length, keeping good NEXT and FEXT, anti-electromagnetic disturbing improvement; Structure CCS+CCA/CCA/CCU/BCconductor, HDP/PE insulation, FRPVC/LSOH PVC jacket, twinning structure, flexible added, easily cabling; High-performance data transmission.

Product application:


The cables transmission frequency up to 250MHz, used as cabling among the cross-connecting box and the communication output and of the operation area or between main distribution frames in the commercial building comprehensive wiring system and residential comprehensive wiring system, support 10Base-T, ISDN, 4.16Mbps TokenRing (IEEE802.5), 1Gbps Ethernet (IEEE802.3), 100Mbps TP-PMD, 100BASE-T4/TX (FAST Ethernet), 100VG-AnyLAN Fast Ethernet, 1000Base-T Gigabit Ethernet, 1000Base-TX Gigabit Ethernet, 155Mbps ATM, 622Mbps ATM.

Specification datas: (more details please email us: info@himakecable.com)


| Product Type Description | Norminal Cross-section (mm) | Wire core Structure (No./mm) | Insulationl Diameter (mm) | Calculation Outer Diameter (mm) | Product prox. Weight (Kg/km) |
|--------------------------|-----------------------------|------------------------------|---------------------------|---------------------------------|------------------------------|
| Cat.6 FTP PVC | 4x2x0.57(23AWG) | 1/0.57 | 1.02 | 7.1 | 46 |
| Cat.6 FTP LSZH | 4x2x0.57(23AWG) | 1/0.57 | 1.02 | 7.1 | 48 |




CAT5e UTP Bulk Cable



CAT6 UTP Bulk Cable



CAT6A UTP Bulk Cable



Packaging & Shipping



305m/pull out box



colour pull out box



2boxes in carton



305m/wooden reel



1000ft/wooden reel



305m wooden reel in carton



warehouse



warehouse



shipment