Product Description:



Rated voltage: 1000V

Conductor: Fine annealed copper wire or tinned copper wire

Conductor size range: 18~10AWG

Insulation: XLPO

Insulation color: white, blue, brown, black, yellow, green/yellow, or as per requirement

Sheath: XLPO

Sheath color: normally black or red, or as per requirement

Package: 100 meters per roll, wooden reel, or as per requirement

Max. operating temperature: normal 90°C, low temperature: -40°C

Standard: UL2277, UL1277

Certificate: UL

Product characteristics:



Product Application:

The cable is used for wind power generation and distribution system.

Product parameter: (more details please email us: info@himakecable.com)

Cable type	Conductor structure	Insulation thickness (mm)	Sheath thickness (mm)	Nominal OD. (mm)
	(mm)			
WTTC 2×18AGW	41/0.16	0.76	1.14	8.1
WTTC 3×18AGW	41/0.16	0.76	1.14	8.5
WTTC 4×18AGW	41/0.16	0.76	1.14	9.2
WTTC 2×16AGW	65/0.16	0.76	1.14	8.7
WTTC 3×14AGW	41/0.254	0.76	1.14	10.0
WTTC 4×12AGW	65/0.254	0.76	1.14	12.1
WTTC 5×10AGW	65/0.32	0.76	1.52	15.9

Product Advantages:

1. The conductor is made of **new pure annealed copper** or **tinned copper**, ensuring a good electrical properties and a very good conductivity.





2. We are a very professional cable manufacturer with advanced production equipments and strict quality inspection system, ensuring the products complying the standard and customized requirement.
Production equipments

















Products Quality inspection equipments



3. We have more than **10 years' export experience** and exported products to **more than 60 countries** over the world with a good reputation internationally.





4.We not only offer **good products** and **good service** to our customers, but also try to **develop our staffs**, offer a good trainning, good working and living conditions to the staffs.



5. Also we are a company with **highly social reponsibility**, often take part in public benifits activities, like tree planting, green environment activities, aiding poor students and the people in difficult condition to achieve their dreams,etc.

