Gerador de energia portátil A1-150W bateria recarregável solar e estação de energia de armazeNomento fábrica na China

Parâmetros do produto:

Artigo	Name	A1
		Gerador solar portátil
Geral parâmetros	Bateria embutida	Bateria de lítio de alta qualidade
	Capacidade da bateria	167Wh/45000mAh/3,7V
	Peso	1,6 kg
	Recarga de entrada	DC15V/2,0A
	Tempo totalmente carregado	CC: 15V: 8~9 horas
	Saída	USB 5V-3.1A (máx.)
	Potência CC (máx.)	9 ~ 12,6 V/10 A, 120 W (máx.)
	Saída CA	150W, saída de onda modificada. 110V (construído de acordo com diferentes nações)
	Indicador de energia	Painel de controle LED
	Temperatura operacional	-10-40ºC
	Ciclo de vida	>500 times
	Pacote incluído	1 x gerador de energia portátil 1 x adaptador de energia 1 x adaptador de luz de cigarro 1 x manual do usuário 1 x carregador de carro
Observação	Pode haver algumas diferenças em diferentes peças de reposição. Por favor, consulte o produto real.	

Portable
POWER STATION

150w

TEAVEL
Youth is very long
I was in the end looking back
Meeting the best self on the road

45000mAh
High-End ThreeElement Li-Battery

Portable
POWER GENERATOR

Fashion mainstream appearance, small portable,
4500mAh super capacity, 2XUSBU 3XDC, 2XAC

...multifunctional output, meet many kinds of electrical appliance use, the display screen clear design is more science and technology sense, fashion fold handle, accord with human workmanship, let you travel more easily

Smokeless Quiet More

NATURAL

UAV Lover Necessary

Dual AC port, 150W 45000mAh output, can charge 5000mAh UAV 9 times, anytime, anywhere

MUlti-function&Strong-power

AC DC USB output/45000mAh

AC output	DC output	USB output
Peak power 250W	Max power 120W	Max 5V/3.1A

Safer and more secure

Using 100% lithium core technology,
Built-in U.S.T safety technology, multiple safety, power, temperature tolerance

overcharge ‖ overdischarge ‖ overvoltag
overload ‖ overtemperature ‖ short circuit protection

Solar Charge

Recommended solar panel specification of 60W / 18V for better charging effect

Please put the solar panels in a sunny place

最佳角度
BEST

一般角度
OK

角度不佳
BAD

S.E.C SMART CONTROL

Adopt S.E.C intelligent control system, LED display screen display, make the whole product more intelligent, more scientific and technological sense, let the user know at a glance, the chapter shows the humanized design, when no output is turned on, the 15s is automatically turned off, so that the energy saving effect can be better realized.

LED display

Function declaration

DC output
USB output
DC input

handle

on / off

AC output switch

LED display

AC output socket

| Capacity	45000mAh,3.7V /167Wh
Dimensions(LWH)	196x108x126mm
Weight	1.6Kg
Built-in Battery	High quality lithium battery
Input Recharging	DC15V/2A
Fully Charged Time	DC 15V:8~9 hours
Output	USB 5V-3.1A(Max)

DC Wattage(MAX)	9~12.6V/10A, 120W(Max)
AC Output	150W, Modified Wave Output. 110V(Build According to different nations)
Power Indicator	LED Control Panel
Operation temperature range	-10℃~40℃
Lifecycle	>500 times
Package include	1 x Portable Power Generator 1 x Power Adapter 1 x Cigarette light adapter 1 x User manual 1x Car charger

※ There may be some differences on different spare parts. Please adhere to the actual product instead.

PERFORMANCE COMPARISON
Battery Material

3.3 times smaller
5.0 times Lighter

	Lithium	Lead Acid Batteries
Voltage	3.7V	2.0V
Lifecycles	500~1000	200
Energy Density	150WH/KG	30WH/KG
Volumetric Energy(Wh/L)	> 320	60-80
Charging/Discharging Efficiency	>97%	<80%
Stand-by Time	>3months	>1 month
Working Temperature	-20℃~60℃	0℃~40℃
Weight	Light 2.5~3kg	Heavy 16~30kg

Como entrar em contato conosco?

Coloque os dados da sua consulta na caixa abaixo e clique em "Entre em contato agora".